**Statewide Prevalence** 

attack or myocardial infarction, \*\*\*they had a stroke
Source: 2015 Behavioral Risk Factor Surveillance System

data prior to 2011 due to changes in methodology

**By Sex (%)** 

By Race (%)

Male

Female

White non-Hispanic

Black non-Hispanic

Note: Current BRFSS prevalence data are not directly comparable to BRFSS

Percent of Alabamians With Cardiovascular Diseases, 2015

%

5.2

5.3

5.0

5.6

4.4

Among all adults, the proportion ever told by a doctor that: they had angina or coronary heart disease, \*\*they had heart

Coronary

Heart

Disease\*

95%

Confidence

Interval

(4.6-5.8)

(7.9-10.3)

(6.4-8.4)

(5.0-6.2)

(3.2-5.6)

Heart

Attack\*\*

%

6.4

4.1

5.7

4.3

95%

Confidence

Interval

(4.6-5.8)

(5.4-7.4)

(3.3-4.9)

(4.9-6.5)

(3.1-5.5)

Stroke\*\*\*

%

4.7

4.5

4.9

4.6

5.5

95%

Confidence

Interval

(4.1-5.3)

(3.7-5.3)

(4.1-5.7)

(4.0-5.2)

(4.3-6.7)